

AN EYE ON COMPLIANCE



BC-2500™ CHARGER

BATTERY SYS. 5

EAGLE EYE
POWER SOLUTIONS
BC-2500
INDUSTRIAL
BATTERY CHARGER / POWER SUPPLY
MADE IN
U. S. A.

DC OUTPUT BREAKER
SP150 150 AMP

DC LOW POWER
RECONNECT

DC OUTPUT BREAKER
LDMR 150 AMP

DC OUTPUT BREAKER
LDMR 150 AMP

DC OUTPUT BREAKER
LDMR 150 AMP

DC OUTPUT BREAKER
LDMR 150 AMP

DC OUTPUT BREAKER
LDMR 150 AMP

DC OUTPUT BREAKER
LDMR 150 AMP

DC OUTPUT BREAKER
LDMR 150 AMP

DC OUTPUT BREAKER
LDMR 150 AMP

VIGILANT™

Meet **NERC PRC-005-6** and **TPL-001-5** with Eagle Eye Power Solutions' **VIGILANT™** Battery Monitoring System and **BC-2500™** industrial battery charger.



TPL-001-5 Compliance FAQs

What is it?

Transmission System Planning Performance standard issued by NERC.

Who is it for?

Owners and Operators with connection to the bulk electric system (BES) at above 100kV.

Can you be fined for non-compliance?

Yes, fines can be up to \$1,000,000 per day.

How can you achieve compliance?

- 2 batteries + 2 chargers
- 2 batteries + 1 BC-2500
- ★ 1 battery + 1 BC-2500 + 1 VIGILANT BMS

Timeline

June 2020

Implementation plan approved by FERC

July 2023

All new systems must be compliant (except P5)

July 2025

All existing systems must have a Corrective Action Plan (CAP) developed for compliance (including P5)

July 2029

TPL-001-5 is fully enforceable across all systems



**BC-2500™
CHARGER**



**VIGILANT™
BMS**



**NERC PRC-005-6
and TPL-001-5
Compliance**